


Habitat Map Woolwich Common



Target Notes

TN no.	Common name	Scientific Name	OS Grid Ref	Notes
1	Common Storksbill	<i>Erodium cicutarium</i>	TQ4313077791	London notable species
2	Viper's-bugloss	<i>Echium vulgare</i>	TQ4266077572	London notable species
3	Broom	<i>Cytisus scoparius</i>	TQ4280677529	
4	Japanese Knotweed	<i>Reynoutria japonica</i>	TQ4275477329	WCA9 invasive species
5	Amphibious Bistort	<i>Persicaria amphibia</i>	TQ4273077238	
6	Yellow Vetchling	<i>Lathyrus aphaca</i>	TQ4260277156	London notable species

Vascular plant species list

Abbreviations:

Code	Category	Description	Code	Qualifiers
D	Dominant	Species that are most commonly recorded and typically found within 51-100% of the survey area.	t	Mature tree
A	Abundant	Species that are very common and occur within 31-50% of the survey area.	y	Young, semi-mature tree
F	Frequent	Species that occur often and are found within 11-30% of the survey area.	s	Sapling
O	Occasional	Species that occur only sporadically, between 2-10% of the survey area.	w	Wet area
R	Rare	Only a small number of individuals of a species are present and are recorded <2% of the survey area.	c	Clumped; species occurs in distinct clumps rather than throughout the survey area
			e	Edge: species distribution is mostly confined to edge or transitional habitat (at the interface between 2 or more habitats).
X	N/a	Record from Trees of Woolwich Common (2019)	p	Obviously planted
			i	Invasive species
			?	Most likely identity

Status abbreviations:

LN=London notable species for the Greater London area. Notable is defined as species which were recorded from 15% or fewer of the 400 two-kilometre recording squares (tetrads) in Greater London in the Flora of the London Area (Burton 1983)

LISI=London Invasive Species Initiative – classified as an invasive or potentially invasive species in Greater London (also includes WCA9 species) <http://www.londonisi.org.uk/>

WCA9=Wildlife & Countryside Act 1981 (as amended) Schedule 9 – Nationally invasive species. It is illegal to cause these plants to grow in the wild.

Common name	Scientific name (Stace 4)	DAFOR	Qualifiers				Status	Notes
			1	2	3	4		
Norway Maple	<i>Acer campestre</i>	F	s	y	t			Mostly wooded areas
Acer platanoides	<i>Acer platanoides</i>	O	y					
Sycamore	<i>Acer pseudoplatanus</i>	O	y	t				
Red Maple	<i>Acer rubrum</i>	X						Trees of Woolwich Common
Silver Maple	<i>Acer saccharinum</i>	R	t					
Yarrow	<i>Achillea millefolium</i>	F						
Common Bent	<i>Agrostis capillaris</i>	D						Chiefly acid grassland
Creeping Bent	<i>Agrostis stolonifera</i>	F						Roughland / rough grassland
Hollyhock	<i>Alcea rosea</i>	R	e					
Grey Alder	<i>Alnus incana</i>	X						Trees of Woowich Common
Meadow Foxtail	<i>Alopecurus pratensis</i>	F						
Cow Parsley	<i>Anthriscus sylvestris</i>	A	e					
Horse-radish	<i>Armoracia rusticana</i>	O						
False Oat-grass	<i>Arrhenatherum elatius</i>	D						Rough grassland
Mugwort	<i>Artemisia vulgaris</i>	F						Roughland / rough grassland
Black Horehound	<i>Ballota nigra</i>	F						
Daisy	<i>Bellis perennis</i>	O						
Silver Birch	<i>Betula pendula</i>	O	y	t	c	p		
Weeping Birch	<i>Betula pendula ssp. pendula</i>	X						Trees of Woolwich Common
Butterfly-bush	<i>Buddleja davidii</i>	O	y	i			LISI	
Hedge Bindweed	<i>Calystegia sepium</i>	F	c	?				
Shepherd's-purse	<i>Capsella bursa-pastoris</i>	R						
Hairy Bitter-cress	<i>Cardamine hirsuta</i>	F						
Hornbeam	<i>Carpinus betulus</i>	O	y					

Common name	Scientific name (Stace 4)	DAFOR	Qualifiers				Status	Notes
Common Knapweed	<i>Centaurea nigra</i>	F						
Japanese Quince	<i>Chaenomeles speciosa</i>	R					Roughland	
Fat-hen	<i>Chenopodium album</i>	O						
Creeping Thistle	<i>Cirsium arvense</i>	F					Roughland / rough grassland and edges	
Spear Thistle	<i>Cirsium vulgare</i>	O						
Hemlock	<i>Conium maculatum</i>	F	c	e				
Field Bindweed	<i>Convolvulus arvensis</i>	O						
Dogwood	<i>Cornus sanguinea</i>	O	e					
Hazel	<i>Corylus avellana</i>	O						
Midland Hawthorn	<i>Crataegus laevigata</i>	X					Trees of Woolwich Common	
Hawthorn	<i>Crataegus monogyna</i>	A						
Broom	<i>Cytisus scoparius</i>	O	c					
Cock's-foot	<i>Dactylis glomerata</i>	F						
Carrot	<i>Daucus carota</i>	O						
Tufted Hair-grass	<i>Deschampsia cespitosa</i>	O						
Perennial Wall-rocket	<i>Diplotaxis tenuifolia</i>	O	c					
Wild Teasel	<i>Dipsacus fullonum</i>	R	e					
Viper's-Bugloss	<i>Echium vulgare</i>	R				LN		
Great Willowherb	<i>Epilobium hirsutum</i>	R						
Guernsey Fleabane	<i>Erigeron sumatrensis</i>	O	e					
Common Storksbill	<i>Erodium cicutarium</i>	O				LN		
Spindle	<i>Euonymus europaeus</i>	O					Wooded areas	
Red Fescue	<i>Festuca rubra</i>	D					Particularly acid grassland	
Fennel	<i>Foeniculum vulgare</i>	O	c					
Ash	<i>Fraxinus excelsior</i>	F	s	y	t			
Goat's-rue	<i>Galega officinalis</i>	O				WCA9	Roughland / rough grassland	
Cleavers	<i>Galium aparine</i>	F						

Common name	Scientific name (Stace 4)	DAFOR	Qualifiers				Status	Notes
Cut-leaved Crane's-bill	<i>Geranium dissectum</i>	F						
Dove's-foot Crane's-bill	<i>Geranium molle</i>	O						
Wood Avens	<i>Geum urbanum</i>	F						
Marsh Cudweed	<i>Gnaphalium uliginosum</i>	R						
Ivy	<i>Hedera helix</i>	F						Often dominant in wooded areas
Hogweed	<i>Heracleum sphondylium</i>	F						
Hoary Mustard	<i>Hirschfeldia incana</i>	F						Rough grassland and edges
Yorkshire-fog	<i>Holcus lanatus</i>	F						
Wall Barley	<i>Hordeum murinum</i>	O	e					
Hybrid blue bell	<i>Hyacinthoides non-scripta</i> x <i>hispanica</i> = <i>H. x massartiana</i>	O	e	i			LISI	Woodland areas
Cat's-ear	<i>Hypochaeris radicata</i>	O						Grassy areas particularly acid grassland
Holly	<i>Ilex aquifolium</i>	R	y					
Common Ragwort	<i>Jacobaea vulgaris</i>	O						
Prickly Lettuce	<i>Lactuca serriola</i>	R	e					
White Dead-nettle	<i>Lamium album</i>	O	e					
Red Dead-nettle	<i>Lamium purpureum</i>	O	e					
Yellow Vetchling	<i>Lathyrus aphaca</i>	R					LN	
Broad-leaved Everlasting-pea	<i>Lathyrus latifolius</i>	F	c					Roughland
Meadow Vetchling	<i>Lathyrus pratensis</i>	R						
Hoary Cress	<i>Lepidium draba</i>	F	e					
Oxeye Daisy	<i>Leucanthemum vulgare</i>	R						
Common Toadflax	<i>Linaria vulgaris</i>	R						
Perennial Rye-grass	<i>Lolium perenne</i>	D	c	f				Particularly on / aside footpaths

Common name	Scientific name (Stage 4)	DAFOR	Qualifiers				Status	Notes
Common Bird's-foot-trefoil	<i>Lotus corniculatus</i>	O	c					
Apple	<i>Malus</i>	X						Trees of Woolwich Common
Apple	<i>Malus domestica</i>	R						
Common Mallow	<i>Malva sylvestris</i>	F	e					
Scented Mayweed	<i>Matricaria recutita</i>	O	f					
Spotted Medick	<i>Medicago arabica</i>	R	e				LN	
Lucerne	<i>Medicago sativa</i>	O						
Common grape hyacinth	<i>Muscari neglectum</i>	R	e					
Common Evening-primrose	<i>Oenothera biennis</i>	R	e					
Common Poppy	<i>Papaver rhoeas</i>	R						
Green Alkanet	<i>Pentaglottis sempervirens</i>	F	i				LISI	Roughland and site edges
Amphibious Bistort	<i>Persicaria amphibia</i>	R						
Canary-grass	<i>Phalaris canariensis</i>	R						
Smaller Cat's-tail	<i>Phleum bertolonii</i>	F						
Common Reed	<i>Phragmites australis</i>	D	c	w				Wet area to south-east
Hart's-tongue	<i>Phyllitis scolopendrium</i>	O						
Hawkweed Oxtongue	<i>Picris hieracioides</i>	R						
Lodgepole Pine	<i>Pinus contorta</i> var. <i>latifolia</i>	X						Trees of Woolwich Common
Buck's-horn Plantain	<i>Plantago coronopus</i>	O	e				LN	
Ribwort Plantain	<i>Plantago lanceolata</i>	A						
Greater Plantain	<i>Plantago major</i>	O	f					
London Plane	<i>Platanus occidentalis</i> x <i>orientalis</i> = <i>P. x hispanica</i>	R	t	e				
Annual Meadow-grass	<i>Poa annua</i>	O	f					Particularly aside / on footpaths

Common name	Scientific name (Stage 4)	DAFOR	Qualifiers				Status	Notes
Smooth Meadow-grass	<i>Poa pratensis</i>	F						Roughland and rough grass areas
Knotgrass	<i>Polygonum aviculare</i>	O	f					
Poplar	<i>Populus</i>	O	t					
White Poplar	<i>Populus alba</i>	R	y					
Grey Poplar	<i>Populus alba x tremula = P. x canescens</i>	R	e					
Black-poplar	<i>Populus nigra</i> 'Italica'	R						
Hybrid Black-poplar	<i>Populus nigra x deltoides = P. x canadensis</i>	F	t	e				
Creeping Cinquefoil	<i>Potentilla reptans</i>	F						Roughland and grassy areas
Cherry	<i>Prunus</i>	R						
Wild Cherry	<i>Prunus avium</i>	F	s	y	t			Mostly woodland
Bird Cherry	<i>Prunus padus</i>	O	y					Wooded areas
Firethorn	<i>Pyracantha</i>	R	e					
Evergreen Oak	<i>Quercus ilex</i>	F	s	y	e	i	LISI	Wooded areas
Pedunculate Oak	<i>Quercus robur</i>	O	s	y	t	e		
Weld	<i>Reseda luteola</i>	R	e					
Japanese knotweed	<i>Reynoutria japonica</i>	R	i				WCA9	
Yellow-rattle	<i>Rhinanthus minor</i>	R					LN	
Rose	<i>Rosa</i>	R						
Dog-rose	<i>Rosa canina</i>	O						
Bramble	<i>Rubus fruticosus</i> agg.	A	e					
Sheep's Sorrel	<i>Rumex acetosella</i>	F						Particularly acid grassland areas
Curled Dock	<i>Rumex crispus</i>	F	c					
Broad-leaved Dock	<i>Rumex obtusifolius</i>	R						
White Willow	<i>Salix alba</i>	X						Trees of Woolwich Common
Crack-willow	<i>Salix euxina</i>	R	T					

Common name	Scientific name (Stace 4)	DAFOR	Qualifiers				Status	Notes
Osier	<i>Salix viminalis</i>	R						
Elder	<i>Sambucus nigra</i>	O						
Autumn Hawkbit	<i>Scorzoneroides autumnalis</i>	O						
Narrow-leaved Ragwort	<i>Senecio inaequidens</i>	O						
Groundsel	<i>Senecio vulgaris</i>	O	e					
White Champion	<i>Silene latifolia</i>	R						
Common Whitebeam	<i>Sorbus aria</i>	O	y	e				
Rowan	<i>Sorbus aucuparia</i>	R						
Broad-leaved Whitebeam	<i>Sorbus latifolia</i>	O	y					Woodland
Common Chickweed	<i>Stellaria media</i>	O						
Michaelmas-daisy	<i>Symphyotrichum</i>	R						
Feverfew	<i>Tanacetum parthenium</i>	R	e					
Dandelion	<i>Taraxacum officinale</i> agg.	F						
Lime	<i>Tilia platyphyllos</i> x <i>cordata</i> = <i>T. x europaea</i>	R						
Hare's-foot Clover	<i>Trifolium arvense</i>	R					LN	Acid grassland areas
Red Clover	<i>Trifolium pratense</i>	O						
White Clover	<i>Trifolium repens</i>	F						
English Elm	<i>Ulmus procera</i>	O	e					
Dutch Elm	<i>Ulmus x hollandica</i>	X						Trees of Woolwich Common
Common Nettle	<i>Urtica dioica</i>	F	c	e				
Great Mullein	<i>Verbascum thapsus</i>	R						
Common Vervain	<i>Verbena officinalis</i>	R					LN	
Common Field-speedwell	<i>Veronica persica</i>	O						
Tufted Vetch	<i>Vicia cracca</i>	R	e					
Common Vetch	<i>Vicia sativa</i>	F						

Fauna

Butterflies

Gatekeeper

Meadow Brown

Orange Tip

Small Copper

Small White

Speckled Wood

Odonata:

Migrant Hawker

Birds:

Blackbird

Blackcap

Blue Tit

Carrion Crow

Chiffchaff

Great Tit

Greenfinch

Magpie

Nuthatch

Ring-necked Parakeet

Robin

Song Thrush

Whitethroat

Woodpigeon

Wren